

Papers and Interviews by Eef van Beveren

High-Energy-Physics Publication Database

SLAC Spires

and other sources

April 25, 2019

1. G. Rupp and E. Van Beveren,
Dramatic implications of unitarity for meson spectroscopy,
arXiv:1904.06746.
2. E. Van Beveren and G. Rupp,
Dimuon enhancement at 28 GeV and tentative (pseudo)scalar partner of the Z boson at 57.5 GeV,
arXiv:1811.02274.
1 citation
3. G. Rupp and E. Van Beveren,
Heavy quarkonia: the beauty and the beasts,
J. Phys. Conf. Ser. **1137**, 012021 (2019) [arXiv:1809.11093].
4. G. Rupp and E. Van Beveren,
Scalar mesons: fifty years of challenging the quark model,
presented by G. Rupp at the workshop "Excited QCD 2018", in Kopaonik, Serbia,
11-15 March 2018, Acta Phys. Polon. Supp. **11**, 455 (2018) [arXiv:1806.00364].
5. G. Rupp and E. van Beveren,
Unquenching and unitarising mesons in quark models and on the lattice,
Acta Phys. Polon. Supp. **10**, 1061 (2017) [arXiv:1707.04887].
6. E. van Beveren and G. Rupp,
General unquenching properties of two-meson scattering and production amplitudes,
Acta Phys. Polon. Supp. **10**, 1055 (2017) [arXiv:1707.04026].
7. G. Rupp and E. van Beveren,
Why bound-state calculations of tetraquarks should be met with scepticism,
Chin. Phys. C **41**, 053104 (2017) [arXiv:1611.00793].
5 citations
8. G. Rupp, S. Coito and E. van Beveren,
Unquenching the meson spectrum: a model study of excited ρ resonances,
Acta Phys. Polon. Supp. **9**, 653 (2016) [arXiv:1605.04260].
7 citations

9. J. H. Alvarenga Nogueira *et al.*,
Summary of the 2015 LHCb workshop on multi-body decays of D and B mesons,
arXiv:1605.03889
16 citations
10. E. van Beveren, G. Rupp and S. Coito,
Modeling two-boson mass distributions, $E(38\text{ MeV})$ and $Z(57.5\text{ GeV})$,
Acta Phys. Polon. Supp. **9**, 583 (2016) [arXiv:1605.03437].
2 citations
11. S. Coito, G. Rupp and E. van Beveren,
Unquenched quark-model calculation of excited ρ resonances and P-wave $\pi\pi$ phase shifts,
Bled Workshops Phys. **16**, 30 (2015) [arXiv:1510.00938].
3 citations
12. G. Rupp, E. van Beveren and S. Coito,
No serious meson spectroscopy without scattering,
Acta Phys. Polon. Supp. **8**, 139 (2015) [arXiv:1502.05250].
6 citations
13. E. van Beveren, G. Rupp and S. Coito,
Unquenching weak substructure,
Acta Phys. Polon. Supp. **8**, 145 (2015) [arXiv:1502.04862].
3 citations
14. K. P. Khemchandani, E. Van Beveren and G. Rupp,
Problems with meson spectroscopy involving perturbative loop corrections,
Acta Phys. Polon. Supp. **8**, 25 (2015) [arXiv:1501.02257].
15. M. Cardoso, G. Rupp and E. van Beveren,
 $X(3872)$ electromagnetic decay in a coupled-channel model,
Acta Phys. Polon. Supp. **8**, 259 (2015) [arXiv:1412.7406].
1 citation
16. E. van Beveren, S. Coito and G. Rupp,
On the existence of a superlight scalar boson,
Eur. Phys. J. Web Conf. **95**, 02007 (2015) [arXiv:1411.4151].
4 citations
17. M. Cardoso, G. Rupp and E. van Beveren,
Unquenched quark-model calculation of $X(3872)$ electromagnetic decays,
Eur. Phys. J. C **75**, 26 (2015) [arXiv:1411.1654].
11 citations
18. E. van Beveren, S. Coito and G. Rupp,
Substructures from weak interactions in light of possible threshold signals at LEP and LHC,
arXiv:1304.7711
5 citations

19. S. Coito, G. Rupp and E. van Beveren,
X(3872) is not a true molecule,
 Eur. Phys. J. C **73**, 2351 (2013) [arXiv:1212.0648].
39 citations
20. G. Rupp, S. Coito and E. van Beveren,
Meson spectroscopy: too much excitement and too few excitations,
 Acta Phys. Polon. Supp. **5**, 1007 (2012) [arXiv:1209.1475].
9 citations
21. S. Coito, G. Rupp and E. van Beveren,
Is the X(3872) a molecule?,
 Acta Phys. Polon. Supp. **5**, 1015 (2012) [arXiv:1209.1313].
5 citations
22. E. van Beveren and G. Rupp,
Reply to Comment on 'Material evidence of a 38 MeV boson',
 arXiv:1204.3287
6 citations
23. E. van Beveren and G. Rupp,
Comment on 'Observation of a new χ_b state in radiative transitions to Υ_{1S} and Υ_{2S} at ATLAS',
 arXiv:1204.1984
3 citations
24. E. van Beveren and G. Rupp,
Material evidence of a 38 MeV boson,
 arXiv:1202.1739
12 citations
25. G. Rupp, S. Coito and E. van Beveren,
 Prog. Part. Nucl. Phys. **67**, 449 (2012) *Towards meson spectroscopy instead of bump hunting*,
 arXiv:1111.6850
4 citations
26. S. Coito, G. Rupp and E. van Beveren,
Quasi-bound states in the continuum: a dynamical coupled-channel calculation of axial-vector charmed mesons,
 Phys. Rev. D **84**, 094020 (2011) [arXiv:1106.2760].
19 citations
27. E. van Beveren and G. Rupp,
First indications of the existence of a 38 MeV light scalar boson,
 arXiv:1102.1863.
13 citations
28. E. van Beveren and G. Rupp,
Exes and why Z? Some charming and beautiful observations,

PoS HQL2010:003 (2010) [arXiv:1011.2360].

9 citations

29. E. van Beveren and G. Rupp,
Is $\Upsilon(10580)$ really $\Upsilon(4S)$?,
arXiv:1010.1401.

3 citations

30. K. P. Khemchandani, E. van Beveren and G. Rupp,
Drawbacks of applying perturbative schemes to meson spectroscopy,
Prog. Theor. Phys. **125**, 581 (2011) [arXiv:1010.1094].

5 citations

31. E. van Beveren and G. Rupp,
Observation of a hadronic interference effect in annihilation processes,
arXiv:1009.5191.

7 citations

32. E. van Beveren and G. Rupp,
Observation of the $Upsilon(1D)$ and $Upsilon(2D)$,
arXiv:1009.4097.

8 citations

33. E. van Beveren and G. Rupp,
The quark-antiquark spectrum from upside down,
Bled Workshops Phys. **11**, 9 (2010) [arXiv:1009.3395].

1 citation

34. E. van Beveren and G. Rupp,
Light and heavy at the end of the funnel,
published in the Proceedings of *Meson-Nucleon Physics and the Structure of the Nucleon* (MENU2010), May 31 - June 4, 2010, College of William and Mary, Williamsburg Virginia, (USA) AIP Conf. Proc. **1374**, 421 (2011) [arXiv:1009.1778].

5 citations

35. S. Coito, G. Rupp and E. van Beveren,
*Delicate interplay between the $D^0 D^{*0}$ and $\rho^0 J/\psi$ channels in the $X(3872)$ resonance*,
Eur. Phys. J. C **71**, 1762 (2011) [arXiv:1008.5100].

39 citations

36. E. van Beveren and G. Rupp,
Evidence for the $\psi(5S)$ and $\psi(4D)$ $c\bar{c}$ vector resonances,
arXiv:1005.3490.

11 citations

37. G. Rupp, S. Coito and E. van Beveren,
Complex masses in the S -matrix,
Acta Phys. Polon. Supp. **3**, 931 (2010) [arXiv:1005.2490].

1 citation

38. S. Coito, G. Rupp and E. van Beveren,
Coupled-channel analysis of the $X(3872)$,
 Acta Phys. Polon. Supp. **3**, 983 (2010) [arXiv:1005.2486].
7 citations
39. E. van Beveren, G. Rupp and J. Segovia,
A very broad $X(4260)$ and the resonance parameters of the $\psi(3D)$ vector charmonium state,
 Phys. Rev. Lett. **105**, 102001 (2010) [arXiv:1005.1010].
30 citations
40. E. van Beveren and G. Rupp,
Evidence for further charmonium vector resonances,
 Chin. Phys. C **35**, 319 (2011) [arXiv:1004.4368].
17 citations
41. E. van Beveren and G. Rupp,
The mass and width of the $\Upsilon(4S)$,
 arXiv:0910.0967.
11 citations
42. S. Coito, G. Rupp and E. van Beveren,
Multichannel calculation of excited vector ϕ resonances and the $\phi(2170)$,
 Phys. Rev. D **80**, 094011 (2009) [arXiv:0909.0051].
24 citations
43. E. van Beveren and G. Rupp,
*Comment on "Study of D_{sJ} decays to D^*K in inclusive e^+e^- interactions",*
 Phys. Rev. D **81**, 118101 (2010) [arXiv:0908.1142].
31 citations
44. E. van Beveren and G. Rupp,
Production of hadron pairs in e^+e^- annihilation near the K^+K^- , $D\bar{D}$, $B\bar{B}$ and $\Lambda_c^+\Lambda_c^-$ thresholds,
 Phys. Rev. D **80**, 074001 (2009) [arXiv:0908.0242].
26 citations
45. G. Rupp, E. Van Beveren, P. Bicudo, B. Hiller and F. Kleefeld,
Scalar mesons and related topics.
Proceedings, Workshop honoring Michael Scadron's 70th birthday,
SCADRON70, Lisbon, Portugal, February 11-16, 2008,
 AIP Conf. Proc. **1030**, 1 (2008)
46. E. van Beveren and G. Rupp,
The $Y(4140)$, $X(4260)$, $\psi(2D)$, $\psi(4S)$ and tentative $\psi(3D)$,
 arXiv:0906.2278.
29 citations
47. G. Rupp, S. Coito and E. van Beveren,
Light and not so light scalar mesons,

talk given by G. Rupp at Workshop "Excited QCD", Zakopane, Poland, 8-14 Feb. 2009, Acta Phys. Polon. Supp. **2**, 427 (2009) [arXiv:0905.3308].

5 citations

48. S. Coito, G. Rupp and E. van Beveren,
The Nature of the $X(2175)$,
talk given by S. Coito at Workshop "Excited QCD", Zakopane, Poland, 8-14 Feb. 2009, Acta Phys. Polon. Supp. **2**, 431 (2009) [arXiv:0905.3302].

1 citation

49. E. van Beveren and G. Rupp,
Interference effects in the $X(4260)$ signal,
Phys. Rev. D **79**, 111501R (2009) [arXiv:0905.1595].

32 citations

50. E. van Beveren and G. Rupp,
The $X(4260)$ and possible confirmation of $\psi(3D)$, $\psi(5S)$, $\psi(4D)$, $\psi(6S)$ and $\psi(5D)$ in $J/\psi\pi\pi$,
arXiv:0904.4351.

31 citations

51. E. van Beveren and G. Rupp,
Reply to the comment by M. R. Pennington and D. J. Wilson,
Eur. Phys. Lett. **84**, 51002 (2008)

9 citations

52. S. Coito, G. Rupp and E. van Beveren,
Multichannel description of light and intermediate scalar mesons,
invited talk by G. Rupp at XIXth International Baldin Seminar on High Energy Physics Problems, 29 Sep. - 4 Oct. 2008, Dubna, Russia, Procs. Vol. I, pp. 244-249 (2009), [arXiv:0812.1527].

2 citations

53. E. van Beveren, F. Kleefeld, G. Rupp and M. D. Scadron,
Comment on 'Two-photon decay of the sigma meson',
Phys. Rev. D **79**, 098501 (2009) [arXiv:0811.2589].

17 citations

54. E. van Beveren and G. Rupp,
The spectrum of charmonium in the Resonance-Spectrum Expansion,
Bled Workshops Phys. **9**, 26 (2008) [arXiv:0811.1755].

8 citations

55. E. van Beveren, X. Liu, R. Coimbra and G. Rupp,
Possible $\psi(5S)$, $\psi(4D)$, $\psi(6S)$, and $\psi(5D)$ signals in $\Lambda_c\bar{\Lambda}_c$,
Eur. Phys. Lett. **85**, 61002 (2009) [arXiv:0809.1151].

41 citations

56. E. van Beveren and G. Rupp,
Meson-meson interactions and Regge propagators,

Annals Phys. **324**, 1620 (2009) [arXiv:0809.1149].

32 citations

57. E. van Beveren and G. Rupp,
The spectrum of scalar-meson nonets in the Resonance-Spectrum Expansion,
in Proceedings of the *Workshop on scalar mesons and related topics, honoring the 70th birthday of Michael Scadron* (SCADRON 70), Lisbon, Portugal, 11-16 Feb 2008, AIP Conf. Proc. **1030**, 219 (2008) [arXiv:0804.2573].
5 citations
58. E. van Beveren and G. Rupp,
Deducing the string-breaking distance in strong production processes,
arXiv:0712.1771.
4 citations
59. E. van Beveren and G. Rupp,
Why the Pennington-Wilson expansion with real coefficients is of little use in the analysis of production processes,
arXiv:0711.4012
60. E. van Beveren and G. Rupp,
The complex relation between production and scattering amplitudes,
Eur. Phys. Lett. **81**, 61002 (2008) [arXiv:0710.5823]
13 citations
61. E. van Beveren and G. Rupp,
Reconciling the light scalar mesons with Breit-Wigner resonances as well as the quark model,
chapter 4 in *New Topics in Theoretical Physics*, Horizons in World Physics, Vol. 258, pp 47-74 (2007), Edited by V. A. Ventura, H. F. Arnoldus, T. F. George, *Nova Science Publishers*, ISBN 1600213553, 9781600213557
25 citations
62. E. van Beveren and G. Rupp,
How we discovered the nonet of light scalar mesons,
in Proceedings of the *11th International Conference on Meson-Nucleon Physics and the Structure of the Nucleon* (MENU 2007), Jülich, Germany, 10-14 Sep 2007, edited by H. Machner and S. Krewald, eConf C070910, pp 317-327 [arXiv:0710.3056].
1 citation
63. E. van Beveren and G. Rupp,
Relating multichannel scattering and production amplitudes in a microscopic OZI-based model,
Annals Phys. **323**, 1215 (2008) [arXiv:0706.4119].
34 citations
64. E. van Beveren and G. Rupp,
S-wave and P-wave $\pi\pi$ and $K\pi$ contributions to three-body decay processes in the Resonance-Spectrum Expansion,

J. Phys. G **34**, 1789 (2007) [arXiv:hep-ph/0703286].

7 citations

65. E. van Beveren and G. Rupp,
Pion-pion scattering near threshold in the Resonance-Spectrum Expansion,
arXiv:hep-ph/0702117.

2 citations

66. E. van Beveren and G. Rupp,
Scalar and axial-vector mesons,
Eur. Phys. J. A **31**, 468 (2007) [arXiv:hep-ph/0610199].

14 citations

67. E. van Beveren and G. Rupp,
Scalar and axial-vector mesons,
plenary talk published in Proceedings of the *IVth International Conference on Quarks and Nuclear Physics, Madrid, 5-10 June 2006*, QNP 2006, 91-96 (2006), edited by A. Dobado, F. J. Llanes-Estrada and V. Vento.

68. E. van Beveren and G. Rupp,
Descoberta de uma nova partícula,
por Teresa Firmino, Jornal "O Público", 9 Nov. 2006.

69. G. Rupp and E. van Beveren,
Multichannel calculation of the very narrow $D_{s0}^(2317)$ and the very broad $D_0^*(2300-2400)$* ,
Eur. Phys. J. A **31**, 698 (2007) [arXiv:hep-ph/0610188].

9 citations

70. G. Rupp and E. van Beveren,
Multichannel calculation of the very narrow $D_{s0}^(2317)$ and the very broad $D_0^*(2300-2400)$* ,
talk presented by G. Rupp and published in Proceedings of the *IVth International Conference on Quarks and Nuclear Physics, Madrid, 5-10 June 2006*, QNP 2006, 389-391 (2006), edited by A. Dobado, F. J. Llanes-Estrada and V. Vento.

71. E. van Beveren and G. Rupp,
New BABAR state $D_{sJ}(2860)$ as the first radial excitation of the $D_{s0}^(2317)$* ,
Phys. Rev. Lett. **97**, 202001 (2006) [arXiv:hep-ph/0606110].

99 citations

72. E. van Beveren, D. V. Bugg, F. Kleefeld and G. Rupp,
The nature of sigma, kappa, $a_0(980)$ and $f_0(980)$,
Phys. Lett. B **641**, 265 (2006) [arXiv:hep-ph/0606022].

91 citations

73. E. van Beveren and G. Rupp,
Is the $Y(4260)$ just a coupled-channel signal?,
arXiv:hep-ph/0605317.

27 citations

74. E. van Beveren, F. Kleefeld and G. Rupp,
Complex Meson Spectroscopy,
 invited plenary talk by Eef van Beveren at the *XI-th International Conference on Hadron Spectroscopy*, Centro Brasileiro de Pesquisas Físicas (CBPF), Rio de Janeiro, Brazil, August 21st - 26th, 2005, AIP Conf. Proc. **814**, 143 (2006) [arXiv:hep-ph/0510120].
14 citations
75. E. van Beveren, J. E. G. Costa, F. Kleefeld and G. Rupp,
From the Kappa via the $D_{s0}^(2317)$ to the χ_{c0} : connecting light and heavy scalar mesons*,
 Phys. Rev. D **74**, 037501 (2006) [arXiv:hep-ph/0509351].
40 citations
76. G. Rupp, F. Kleefeld and E. van Beveren,
Scalar mesons and Adler zeros,
 invited talk by G. Rupp at *Quark Confinement and the Hadron Spectrum IV*, September 21-25, 2004, Tanka Village, Villasimius (Cagliari) Sardinia (Italy) AIP Conf. Proc. **756**, 360 (2005) [arXiv:hep-ph/0412078].
15 citations
77. E. van Beveren, F. Kleefeld and G. Rupp,
Images in Christmas Baubles,
 Eur. J. Phys. **27**, 337 (2006) [arXiv:physics/0503069].
1 citation
78. M. D. Scadron, F. Kleefeld, G. Rupp and E. van Beveren,
Meson form-factors and the quark-based linear sigma model,
 Fizika B **13**, 43 (2004)
79. E. van Beveren and G. Rupp,
Multichannel calculation for D_s^ vector states and the $D_s(2632)$ resonance*,
 Phys. Rev. Lett. **93**, 202001 (2004) [arXiv:hep-ph/0407281].
33 citations
80. E. van Beveren and G. Rupp,
Classification of the scalar mesons: A strange pole expedition into charm and beauty territory,
 Mod. Phys. Lett. A **19**, 1949 (2004) [arXiv:hep-ph/0406242].
32 citations
81. E. van Beveren,
A previsão do mesão $D_s(2317)$,
 entrevista por C. Fiolhais, Gazeta de Física da Sociedade Portuguesa de Física, **27**, 36-37 (2004).
82. E. van Beveren and G. Rupp,
Het $D_s(2317)$ -meson,
 Nederlands Tijdschrift voor Natuurkunde **70**, 194 (2004)

83. E. van Beveren and G. Rupp,
O segredo do casamento e divórcio de um quark com um antiquark,
entrevista por Teresa Firmino, Jornal "O Público", 24 Fev. 2004, pags. 26-27.
84. E. van Beveren and G. Rupp,
O Mesão $D_s(2317)$,
Caderno das 4^{as} Jornadas sobre o Ensino das Ciências, 26-27 de Fevereiro de 2004
(Tondela, Portugal), Escola Secundária de Tondela, ISBN:972-9071-55-1 (2004).
85. E. van Beveren and G. Rupp,
Classification of the $a_0(980)$ and $f_0(980)$, in Miniproceedings for the workshop *HADRON PHYSICS at COSY held from July 7th to July 10th 2003 in Bad Honnef (Germany)*,
pp 96-98, available on the arXiv under hep-ph/0311071.
86. E. van Beveren and G. Rupp,
Nonperturbative scalar-meson resonances with open charm and beauty,
invited plenary talk by Eef van Beveren prepared for Time Asymmetric Quantum
Theory: the Theory of Resonances, July 23-26 (2003), CFIF-IST, Lisboa (Portugal),
arXiv:hep-ph/0312078.
8 citations
87. M. D. Scadron, G. Rupp and E. van Beveren,
 $\Delta I = 1/2$ enhancement and CP violation for $K \rightarrow \pi\pi$ and $K \rightarrow \pi\pi\gamma$ weak decays,
Mod. Phys. Lett. A **19**, 2267 (2004) [arXiv:hep-ph/0310059].
4 citations
88. M. D. Scadron, G. Rupp, F. Kleefeld and E. van Beveren,
*Ground state scalar $\bar{q}q$ nonet: $SU(3)$ mass splittings and strong, electromagnetic and
weak decay rates*,
Phys. Rev. D **69**, 014010 (2004) [arXiv:hep-ph/0309109].
52 citations
89. A. H. Blin, B. Hiller, A. A. Osipov, M. C. Ruivo and E. van Beveren (editors),
Effective Theories of Low Energy QCD,
proceedings of the Second International Workshop on Hadron Physics,
Coimbra, Portugal, 25–29 Sept. 2002,
AIP Conf. Proc. **660** (2003) 406 p.
90. E. van Beveren and G. Rupp,
W boson unitarity effects and oscillations in the neutral Kaon system,
arXiv:hep-ph/0308030.
2 citations
91. E. van Beveren and G. Rupp,
Investigadores portugueses conseguiram calcular massa do "mesão $D_s(2317)$ ", entre-
vista por Abílio Ribeiro no programa "2010" do segundo canal do Rádio e Televisão
de Portugal, RTP2, emitida em 1 e 3 de Agosto de 2003 e 2 e 4 de Janeiro de 2004.
92. M. D. Scadron, G. Rupp, E. van Beveren and F. Kleefeld,
 $SU(3)$ mass splittings for $\bar{q}q$ mesons and qqq baryons,

contributed to *The High-Energy Physics Workshop on Scalar Mesons: An Interesting Puzzle for QCD, Utica, New York, 16-18 May 2003*, AIP Conf. Proc. **688**, 183 (2003) [arXiv:hep-ph/0307003].

1 citation

93. E. van Beveren and G. Rupp,
Threshold behavior of scattering poles,
invited plenary talk by Eef van Beveren given at *The High-Energy Physics Workshop on Scalar Mesons: An Interesting Puzzle for QCD, Utica, New York, 16-18 May 2003*, AIP Conf. Proc. **688**, 88 (2003) [arXiv:hep-ph/0306185].

5 citations

94. E. van Beveren and G. Rupp,
Explaining the $D_{sJ}^(2317)^+$* ,
invited plenary talk by Eef van Beveren at *The 25th annual Montreal-Rochester-Syracuse-Toronto Conference on High-Energy Physics, Joefest, in the honor of the 65th birthday of J. Schechter, May 13 - 15, 2003, Syracuse (NY)*, AIP Conf. Proc. **687**, 86 (2003) [arXiv:hep-ph/0306155].

19 citations

95. M. D. Scadron, F. Kleefeld, G. Rupp and E. van Beveren,
Meson form factors and the quark level $L\sigma M$,
AIP Conf. Proc. **660**, 311 (2003)

5 citations

96. E. van Beveren and G. Rupp,
Continuum bound states K -long, $D_1(2420)$, $D_{s1}(2536)$ and their partners K -short, $D_1(2400)$, $D_{sJ}^(2463)$* ,
Eur. Phys. J. C **32**, 493 (2004) [arXiv:hep-ph/0306051].

52 citations

97. E. van Beveren and G. Rupp,
Observed $D_s(2317)$ and tentative $D(2100-2300)$ as the charmed cousins of the light scalar nonet,
Phys. Rev. Lett. **91**, 012003 (2003) [arXiv:hep-ph/0305035].

317 citations

98. E. van Beveren and G. Rupp,
Reconciling the light scalar mesons with Breit-Wigner resonances as well as the quark model,
Int. J. Theor. Phys. Group Theor. Nonlin. Opt. **11**, 179 (2006) [arXiv:hep-ph/0304105].

54 citations

99. M. D. Scadron, F. Kleefeld, G. Rupp and E. van Beveren,
Meson form factors and the quark-level linear sigma model,
in *Proceedings of the International Symposium on Hadron Spectroscopy Chiral Symmetry and Relativistic Description of Bound Systems, February 24-26, 2003, Nihon Daigaku Kaikan, Ichigaya, Tokyo, Tokyo2003*, KEK Conf. Proc. 2003-7, 202-211 (2003).

100. G. Rupp and E. van Beveren,
Relativistic unitarised quark/meson model in momentum space,
in *Hadron Physics: Effective Theories of Low Energy QCD*, Proc. of the Second Intern. Workshop on Hadron Physics, AIP Conf. Proc. **660**, 367 (2003) [arXiv:hep-ph/0212100].
1 citation
101. E. van Beveren, G. Rupp, N. Petropoulos and F. Kleefeld,
The light scalar mesons within quark models,
in *Hadron Physics: Effective Theories of Low Energy QCD*, Proc. of the Second Intern. Workshop on Hadron Physics, AIP Conf. Proc. **660**, 353 (2003) [arXiv:hep-ph/0211411].
33 citations
102. M. D. Scadron, F. Kleefeld, G. Rupp and E. van Beveren,
Meson form factors and the quark-level linear sigma model,
Nucl. Phys. A **724**, 391 (2003) [arXiv:hep-ph/0211275].
43 citations
103. E. van Beveren and G. Rupp,
Behaviour of S-wave poles near threshold and the scalar meson nonet below 1-GeV,
Cont. paper for the *31st Int. Conf. on High Energy Physics (ICHEP 2002)*, Amsterdam, The Netherlands, 24–31 Jul 2002, session 9, *Hadron spectroscopy and exotics*, paper ABS22, and arXiv:hep-ph/0207022.
9 citations
104. E. van Beveren, F. Kleefeld, G. Rupp and M. D. Scadron,
Remarks on the $f_0(400-1200)$ scalar meson as the dynamically generated chiral partner of the pion,
Mod. Phys. Lett. A **17**, 1673 (2002) [arXiv:hep-ph/0204139].
54 citations
105. E. van Beveren and G. Rupp,
Scalar mesons within a model for all non-exotic mesons,
published in Proc. Workshop *Recent Developments in Particle and Nuclear Physics*, April 30, 2001, Coimbra (Portugal), (Universidade de Coimbra, 2003) ISBN 972-95630-3-9, pages 1–16, [arXiv:hep-ph/0201006].
40 citations
106. E. van Beveren and G. Rupp,
On the dominance of non-exotic meson scattering by s-channel $q\bar{q}$ confinement states and the classification of the scalar mesons,
in *proceedings of 9th International Conference on Hadron Spectroscopy (Hadron 2001)*, Protvino, Russia, 25 Aug - 1 Sep 2001, AIP Conf. Proc. **619**, 209 (2002) [arXiv:hep-ph/0110156].
10 citations
107. F. Kleefeld, E. van Beveren, G. Rupp and M. D. Scadron,
Identifying the quark content of the isoscalar scalar mesons $f_0(980)$, $f_0(1370)$, and

$f_0(1500)$ from weak and electromagnetic processes,
Phys. Rev. D **66**, 034007 (2002) [arXiv:hep-ph/0109158].

56 citations

108. E. van Beveren and G. Rupp,
Modified Breit-Wigner formula for mesonic resonances describing OZI decays of confined $q\bar{q}$ states and the light scalar mesons,
Eur. Phys. J. C **22**, 493 (2001) [arXiv:hep-ex/0106077].
82 citations
109. G. Rupp, E. van Beveren and M. D. Scadron,
Comment on Intrinsic and dynamically generated scalar meson states,
Phys. Rev. D **65**, 078501 (2002) [arXiv:hep-ph/0104087].
11 citations
110. F. Kleefeld, E. van Beveren and G. Rupp,
The pionic width of the $\omega(782)$ meson within a well-defined, unitary quantum field theory of (anti-)particles and (anti-)holes,
Nucl. Phys. A **694**, 470 (2001) [arXiv:hep-ph/0101247].
17 citations
111. E. van Beveren, G. Rupp and M. D. Scadron,
Why is the $f_0(9890)$ is mostly $s\bar{s}$,
Phys. Lett. B **495**, 300 (2000) [Erratum-ibid. B **509**, 365 (2001)] [arXiv:hep-ph/0009265].
46 citations
112. A. H. Blin, B. Hiller, M. C. Ruivo, C. A. de Sousa and E. van Beveren (editors),
Effective Theories of Low Energy QCD,
proceedings of the International Workshop on Hadron Physics,
Coimbra, Portugal, 10–15 Sept. 1999,
AIP Conf. Proc. **508** (2000) 410 p.
113. E. van Beveren and G. Rupp,
Scalar mesons as simple $q\bar{q}$ states,
in *Hadron Physics: Effective Theories of Low Energy QCD*, proc. of the Second Intern. Workshop on Hadron Physics, AIP Conf. Proc. **508**, 310 (2000) [arXiv:hep-ph/9912332].
1 citation
114. E. van Beveren and G. Rupp,
Flavour-symmetry correction to the 'naive' Zweig rule for the scalar-meson flavour-singlet,
Phys. Lett. B **454**, 165 (1999) [arXiv:hep-ph/9902301].
13 citations
115. E. van Beveren and G. Rupp,
Flavor symmetry of mesonic decay couplings,
Eur. Phys. J. C **11**, 717 (1999) [arXiv:hep-ph/9806248].
19 citations

116. E. van Beveren and G. Rupp,
Comment on Understanding the scalar meson $q\bar{q}$ nonet,
 Eur. Phys. J. C **10**, 469 (1999) [arXiv:hep-ph/9806246].
69 citations
117. E. van Beveren,
Scalar mesons as $q\bar{q}$ systems with meson-meson admixtures,
 prepared for Rheinfels Workshop 1990 on Hadron Mass Spectrum, St.Goar, Germany,
 3-6 Sep 1990, Nucl. Phys. Proc. Suppl. **21**, 43 (1991)
6 citations
118. E. van Beveren,
Some notes on group theory
 Lecture Notes,
1 citation
119. E. van Beveren, K. Metzger, C. Dullemond, G. Rupp and J. E. Ribeiro,
Confinement forces, bare hadrons and resonances,
 in *Peking 1987, Proceedings, Medium energy physics*, pp 542-544 (1987).
120. A. G. Verschuren, C. Dullemond and E. van Beveren,
Radiative transitions in a unitarized meson model,
 Phys. Rev. D **44**, 2803 (1991)
12 citations
121. E. van Beveren,
On the influence of hadronic decay on the properties of hadrons (A study in the context of a geometrical quark model),
 Ph.D. thesis, University of Nijmegen (1983).
3 citations
122. C. Dullemond, T. A. Rijken, E. van Beveren and G. Rupp,
On The influence of hadronic decay on the properties of hadrons,
 in proceedings of *VIth Warsaw Symposium on Elementary Particle Physics, Kazimierz, Poland, 30 May - 3 Jun 1983*, pp 257-262.
4 citations
123. E. van Beveren,
Quark flavor dependence of mesonic hyperfine separations,
 Nuovo Cim. A **100**, 463 (1988)
124. E. van Beveren, T. A. Rijken, C. Dullemond and G. Rupp,
Geometrical Quark Confinement And Hadronic Resonances,
 Lect. Notes Phys. **211**, 331 (1984)
15 citations
125. E. van Beveren, H. Janssen and K. Metzger,
Coulomb interactions in the $SO(3,2)$ bag model,
 Nijmegen-report THEF-NYM-87.09 (1987).

126. E. van Beveren, T. A. Rijken, K. Metzger, C. Dullemond, G. Rupp and J. E. Ribeiro,
A low lying scalar meson nonet in a unitarized meson model,
 Z. Phys. C **30**, 615 (1986) [arXiv:0710.4067].
455 citations
127. E. van Beveren, T. A. Rijken and C. Dullemond,
Dielectric description of hadrons with anti-De Sitter symmetry,
 J. Math. Phys. **27**, 1411 (1986)
8 citations
128. E. van Beveren, C. Dullemond and T. A. Rijken,
The Dirac equation and its solutions for quarks confined by an $SO(3,2)$ -invariant geometry,
 Phys. Rev. D **30**, 1103 (1984)
24 citations
129. E. van Beveren, C. Dullemond, T. A. Rijken and G. Rupp,
An analytically solvable multichannel Schrodinger model for hadron spectroscopy,
 Lect. Notes Phys. **211**, 182 (1984)
7 citations
130. C. Dullemond and E. van Beveren,
Scalar field propagators in anti-De Sitter space-time,
 J. Math. Phys. **26**, 2050 (1985)
25 citations
131. E. van Beveren, T. A. Rijken and C. Dullemond,
Geometric quark confinement,
 Nijmegen-report THEF-NYM-84.02 (1984), published in *La Plagne 1984, XIXth Rencontre de Moriond*, p. 847 (1984).
5 citations
132. E. van Beveren,
Coupling constants and transition potentials for hadronic decay modes of a meson,
 Z. Phys. C **21**, 291 (1984) [arXiv:hep-ph/0602246].
50 citations
133. E. van Beveren, C. Dullemond and T. A. Rijken,
On the influence of hadronic decay on the properties of hadrons,
 Z. Phys. C **19**, 275 (1983)
38 citations
134. C. Dullemond, T. A. Rijken and E. van Beveren,
Quark-gluon model with conformal symmetry,
 Nuovo Cim. A **80**, 401 (1984)
24 citations
135. C. Dullemond and E. van Beveren,
Canonical formalism for the relativistic harmonic oscillator,
 Phys. Rev. D **28**, 1028 (1983)
36 citations

136. E. van Beveren,
Recoupling matrix elements and decay,
 Z. Phys. C **17**, 135 (1983) [arXiv:hep-ph/0602248].
37 citations
137. E. van Beveren, G. Rupp, T. A. Rijken and C. Dullemond,
Radial spectra and hadronic decay widths of light and heavy mesons,
 Phys. Rev. D **27**, 1527 (1983)
158 citations
138. C. Dullemond, G. Rupp, T. A. Rijken and E. van Beveren,
A numerical method for solving a coupled-channel Schrödinger equation,
 Comput. Phys. Commun. **27**, 377 (1982)
16 citations
139. E. van Beveren, T. A. Rijken and C. Dullemond,
Quarks in an anti-De Sitter geometry,
 Nijmegen-report THEF-NYM-79-11 (1979).
10 citations
140. E. van Beveren, C. Dullemond and G. Rupp,
Spectra and strong decays of $c\bar{c}$ and $b\bar{b}$ states,
 Phys. Rev. D **21**, 772 (1980) [Erratum-ibid. D **22**, 787 (1980)].
131 citations
141. C. Dullemond and E. van Beveren,
Exactly solvable wave equation with a linear confining potential: II Symmetric model,
 Phys. Rev. D **18**, 581 (1978)
1 citation
142. C. Dullemond and E. van Beveren,
Confining potentials and Regge poles,
 Ann. Phys. **105**, 318 (1977).
23 citations

Publications within the CP-Lear Collaboration:

143. R. Adler *et al.* [CPLEAR Collaboration],
The CP-Lear experiment at CERN,
 in *Tsukuba 1996, Flavor physics*, Nucl. Phys. Proc. Suppl. **59**, 182 (1997)
2 citations
144. R. Adler *et al.* [CPLEAR Collaboration],
Measurement of $\eta_{\pm}$ with the CP-Lear experiment,
 in *Dinkelsbühl 1996, Flavor physics*, Nucl. Phys. Proc. Suppl. **56**, 371 (1997)
1 citation
145. R. Adler *et al.* [CPLEAR Collaboration],
Results of CP-Lear,
 in *Dinkelsbühl 1996, Flavor physics*, Nucl. Phys. Proc. Suppl. **56**, 361 (1997)
1 citation

146. R. Adler *et al.* [CPLEAR Collaboration],
Upper limit for the branching ratio of $K_S \rightarrow e^+e^-$ decay,
in *Dinkelsbühl 1996, Flavor physics*, Nucl. Phys. Proc. Suppl. **56**, 178 (1997)
1 citation
147. R. Adler *et al.* [CPLEAR Collaboration],
Test of CPT with CP-Lear,
in *Les Arcs 1996, Electroweak interactions and unified theories*, pp 309-316.
148. A. Angelopoulos *et al.* [CPLEAR Collaboration],
An upper limit for the branching ratio of the decay $K_S \rightarrow e^+e^-$,
Phys. Lett. B **413**, 232 (1997)
15 citations
149. M. Dejardin *et al.* [CPLEAR Collaboration],
Test of CPT invariance with $\bar{K}^0$ and K^0 at LEAR,
in *La Thuile 1996, Results and perspectives in particle physics*, pp 409-417.
150. R. Adler *et al.* [CPLEAR Collaboration],
Determination of CP violation parameters and study of semileptonic decays in the neutral Kaon system,
in *Perugia 1993, Particles and nuclei*, pp 273-277.
151. R. Adler *et al.* [CPLEAR Collaboration],
First results from tests of CP violation with K^0 and $\bar{K}^0$ at Lear,
in *Geneva 1991, Lepton-Photon Symposium, vol. 1*, pp 192-195
152. R. Adler *et al.* [CPLEAR Collaboration],
Measurement of CP violation parameters with CP-Lear,
in *Montreal 1993, Heavy flavour physics*, pp 363-368.
153. R. Adler *et al.* [CPLEAR Collaboration],
Measurement of T, CP and CPT violation parameters in the neutral Kaon system at CP-Lear,
in *Trento 1995, Parity and time reversal violation in compound nuclear states and related topics*, pp 374-392.
154. R. Adler *et al.* [CPLEAR Collaboration],
Status and results from the CP-Lear Collaboration at CERN,
in *Valencia 1991, Electroweak physics beyond the standard model*, pp 299-306.
155. R. Adler *et al.* [CPLEAR Collaboration],
Interactions between trigger and detector on CP-Lear,
in *Tucson 1991, Intersections between particle and nuclear physics*, AIP Conf. Proc. **243**, 408 (1992)
156. R. Adler *et al.* [CPLEAR Collaboration],
Recent results from the CP-Lear experiment,
in *Tucson 1991, Intersections between particle and nuclear physics*, AIP Conf. Proc. **243**, 314 (1992)

157. R. Adler *et al.* [CPLEAR Collaboration],
Experimental tests of CP, T and CPT symmetries and quantum mechanics at CP-Lear,
in *Protvino 1995, Quanta, relativity, gravitation*, pp 182-192.
158. D. Zimmermann *et al.* [CPLEAR Collaboration],
Preliminary results from the analysis of K^0 and $\bar{K}^0$ semileptonic decays from the CP-Lear Collaboration,
in *Batavia 1992, The Fermilab Meeting, DPF 92, vol. 1*, pp 786-790.
159. P. Kokkas *et al.* [CPLEAR Collaboration],
Measurement of CP and T violation parameters in the neutral Kaon system at CP-Lear,
in *Trieste 1995, 1st international four seas conference*, pp 19-24.
160. R. Adler *et al.* [CPLEAR Collaboration],
Direct evidence for T violation in the neutral Kaon system,
in *Villars-sur-Ollon 1995, Dark matter in cosmology, clocks and tests of fundamental laws*, p 571-c
161. R. Adler *et al.* [CPLEAR Collaboration],
Direct measurement of T violation in the neutral Kaon system using tagged K^0 , $\bar{K}^0$ at Lear,
in *Osaka 1995, Weak and electromagnetic interactions in nuclei*, pp 52-57.
162. R. Adler *et al.* [CPLEAR Collaboration],
Studies of CP, T and CPT symmetries from the CP-Lear experiment,
in *La Thuile 1995, Results and perspectives in particle physics*, pp 385-396.
163. R. Adler *et al.* [CPLEAR Collaboration],
Results from CP, T and CPT measurements at CP-Lear,
in *Les Arcs 1995, Electroweak interactions, unified theories*, pp 389-393.
164. R. Adler *et al.* [CPLEAR Collaboration],
Recent results of the CP-Lear experiment,
in *Villars-sur-Ollon 1994, Particle astrophysics, atomic physics and gravitation*, pp 305-310.
165. R. Adler *et al.* [CPLEAR Collaboration],
CP, T and CPT violation in the neutral Kaon system at the CP-Lear experiment,
in *Villars-sur-Ollon 1994, Particle astrophysics, atomic physics and gravitation*, pp 299-304.
166. R. Adler *et al.* [CPLEAR Collaboration],
CP, T and CPT tests in neutral Kaon decays using tagged K^0 , $\bar{K}^0$ at Lear,
in *Williamsburg 1994, Few-body problems in physics*, pp 816-821.
167. R. Adler *et al.* [CPLEAR Collaboration],
A study of neutral Kaon decays to $\pi^+\pi^-\pi^0$ with the CP-Lear detector,
in *Bled 1994, Low energy antiproton physics*, pp. 442-451.

168. R. Adler *et al.* [CPLEAR Collaboration],
measurement of CP violation in K^0 ($\bar{K}^0$) two pion decays at CP-Lear,
in *Bled 1994, Low energy antiproton physics*, pp. 436-441.
169. R. Adler *et al.* [CPLEAR Collaboration],
Results on CP, T and CPT violation in the semileptonic decays of neutral Kaons,
in *Bled 1994, Low energy antiproton physics*, pp 427-435.
170. R. Adler *et al.* [CPLEAR Collaboration],
CP, T and CPT in the neutral Kaon system in the CP-Lear experiment,
Phys. Atom. Nucl. **59**, 1529 (1996)
171. R. Adler *et al.* [CPLEAR Collaboration],
Experimental measurement of the $K_S K_S / K_S K_L$ ratio in antiproton annihilations at rest in gaseous hydrogen at 15 and 27 bar,
Phys. Lett. B **403**, 383 (1997)
11 citations
172. R. Adler *et al.* [CPLEAR Collaboration],
Bose-Einstein pion correlations,
in proceedings *Third Biennial Conference on Nucleon-Antinucleon Physics, NAN-95, Moscow (ITEP), 11-16 Setember 1995*, Phys. Atom. Nucl. **59**, 1363 (1996)
173. R. Adler *et al.* [CPLEAR Collaboration],
The CPLEAR experiment at CERN: Measurement of CP, T and CPT in the neutral Kaon system,
in *Big Sky 1997, Intersections between particle and nuclear physics*, pp 372-382 (1997).
174. A. Angelopoulos *et al.* [CPLEAR Collaboration],
Upper limit for the branching ratio of $K_S \rightarrow e^+ e^-$ decay,
in *Upton 1997, Hadron spectroscopy*, pp 611-614.
175. R. Adler *et al.* [CPLEAR Collaboration],
Measurements of CP violation parameters and test of CPT invariance with $\bar{K}^0$ and K^0 at LEAR,
in proceedings *Sixth International Symposium on Heavy-flavour Physics, Pisa, 6-10 June 1995*, Nuovo Cim. A **109**, 981 (1996)
1 citation
176. A. Angelopoulos *et al.* [CPLEAR Collaboration],
Measurement of the CP-violation parameter $\eta(00)$ using tagged anti- K^0 and K^0 ,
Phys. Lett. B **420**, 191 (1998)
12 citations
177. François Touchard *et al.* [CPLEAR Collaboration],
Improvements in the CPLEAR trigger and data acquisition system,
in proceedings *Conference on Computing in High Energy Physics, CHEP-94, San Francisco, 21-27 April 1994*, pp 91-96 (1994).

178. A. Angelopoulos *et al.* [CPLEAR Collaboration],
Direct determination of two-pion correlations for $p\bar{p} \rightarrow 2\pi^+2\pi^-$ annihilations at rest,
Eur. Phys. J. C **1**, 139 (1998)
12 citations
179. A. Angelopoulos *et al.* [CPLEAR Collaboration],
Measurement of the neutral Kaon regeneration amplitude in Carbon at momenta below 1 GeV/c,
Phys. Lett. B **413**, 422 (1997)
25 citations
180. R. Adler *et al.* [CPLEAR Collaboration],
CPLEAR results on the CP parameters of neutral Kaons decaying to $\pi^+\pi^-\pi^0$,
Phys. Lett. B **407**, 193 (1997)
26 citations
181. C. Fuglesang *et al.* [CPLEAR Collaboration],
Initial performance of CPLEAR,
in proceedings *First Biennial Conference on Low-Energy Antiproton Physics, Stockholm (Sweden), 2-6 July 1990*, pp 414-420 (1991).
182. R. Adler *et al.* [CPLEAR Collaboration],
Evaluation of the phase of the CP parameter η_{+-} and the $K_L - K_S$ mass difference from a correlation analysis of different experiments,
Phys. Lett. B **369**, 367 (1997)
33 citations
183. P. Pavlopoulos *et al.* [CPLEAR Collaboration],
Contribution of CP-Lear to the physics of the neutral Kaon system,
Nucl. Phys. A **655**, 327 (1999)
3 citations
184. C. Santoni *et al.* [CPLEAR Collaboration],
Status of the CP-LEAR experiment and first results,
in proceedings *Workshop on testing CPT and studying CP violation at a Φ factory, Los Angeles (EUA), 20-27 April 1990*, Nucl. Phys. Proc. Suppl. **24A**, 45 (1991)
185. R. Adler *et al.* [CPLEAR Collaboration],
The CP-Lear detector at CERN,
Nucl. Instrum. Meth. A **379**, 76 (1996)
49 citations
186. R. Adler *et al.* [CPLEAR Collaboration],
Observation of the CP-conserving $K_S \rightarrow \pi^+\pi^-\pi^0$ decay amplitude,
Phys. Lett. B **374**, 313 (1996)
16 citations
187. R. Adler *et al.* [CPLEAR Collaboration],
Search for CP-violation in the decay of neutral Kaons to $\pi^+\pi^-\pi^0$,
Phys. Lett. B **370**, 167 (1996)
22 citations

188. R. Adler *et al.* [CPLEAR Collaboration],
Tests of CPT symmetry and quantum mechanics with experimental data from CPLEAR,
 Phys. Lett. B **364**, 239 (1995)
140 citations
189. Christos Touramanis *et al.* [CPLEAR Collaboration],
Recent results of PS195 (CPLEAR) tests of CP violation with K^0 and $\bar{K}^0$ at LEAR,
 in *Warsaw 1991, Proceedings, Puzzles on the electroweak scale*, pp 167-170.
190. R. Adler *et al.* [CPLEAR Collaboration],
First observation of a particle-antiparticle asymmetry in the decay of neutral Kaons into $\pi^0\pi^0$,
 Z. Phys. C **70**, 211 (1996)
9 citations
191. R. Adler *et al.* [CPLEAR Collaboration],
Measurement of $K_L - K_S$ mass difference using semileptonic decays of tagged neutral Kaons,
 Phys. Lett. B **363**, 237 (1995)
43 citations
192. R. Adler *et al.* [CPLEAR Collaboration],
Measurement of the CP violation parameter $\eta_{\pm}$ using tagged K^0 and $\bar{K}^0$,
 Phys. Lett. B **363**, 243 (1995)
55 citations
193. R. Adler *et al.* [CPLEAR Collaboration],
A new determination of $K_L - K_S$ mass difference and the phase of the CP violation parameter $\eta_{\pm}$ from an evaluation of experimental data,
 Cern preprint CERN-PPE-95-112 (July 1995) 6p.
194. N. E. Mavromatos *et al.* [CPLEAR Collaboration],
Experimental tests of CPT symmetry and quantum mechanics at CPLEAR,
 contribution to 2nd Workshop on Physics and Detectors for DAPHNE (DAPHNE 95),
 Frascati, Italy, 4-7 Apr 1995, arXiv:hep-ph/9506395.
1 citation
195. R. Adler *et al.* [CPLEAR Collaboration],
Inclusive measurement of $\bar{p}$ annihilation at rest in gaseous hydrogen to final states containing ρ and f_2 ,
 Z. Phys. C **65**, 199 (1995)
7 citations
196. R. Adler *et al.* [CPLEAR Collaboration],
Bose-Einstein correlations in $p\bar{p}$ annihilations at rest,
 Z. Phys. C **63**, 541 (1994)
16 citations
197. Christophe Yeche *et al.* [CPLEAR Collaboration],
The study of CP, T and CPT symmetries in the CPLEAR experiment,

in proceedings *XXIXth Rencontres de Moriond on Electroweak Interactions and Unified Theories, Méribel les Allues (Savoie, France), 12-19 March 1994*, pp 371-378.

198. A. Schopper *et al.* [CPLEAR Collaboration],
Recent results of the CPLEAR experiment,
in proceedings *LEAP'92, Second Biennial Conference on Low-energy antiproton physics, Courmayeur (Italy), 14-19 September 1992*, Nucl. Phys. A **558**, 437 (1993)
1 citation
199. K. Jon-And *et al.* [CPLEAR Collaboration],
A study of T violation via semileptonic decays of neutral Kaons in CPLEAR,
in proceedings *LEAP'92, Second Biennial Conference on Low-energy antiproton physics, Courmayeur (Italy), 14-19 September 1992*, Nucl. Phys. A **558**, 449 (1993)
2 citations
200. K. Sarigiannis *et al.* [CPLEAR Collaboration],
Two pion Bose-Einstein correlations in $p\bar{p}$ annihilations at rest,
in proceedings *LEAP'92, Second Biennial Conference on Low-energy antiproton physics, Courmayeur (Italy), 14-19 September 1992*, Nucl. Phys. A **558**, 43 (1993)
8 citations
201. R. Adler *et al.* [CPLEAR Collaboration],
First results of the CP-Lear experiment at CERN: Study of CP violation and CPT tests using $K^0 - \bar{K}^0$ interferometry,
Sov. J. Nucl. Phys. **55**, 840 (1992)
3 citations
202. Claude Guyot *et al.* [CPLEAR Collaboration],
Test of CP violation using $K^0 - \bar{K}^0$ interferometry,
in proceedings *XXVI International Conference on High Energy Physics (ICHEP'92), Dallas (EUA), 6-12 August 1992*, AIP Conf. Proc. **272**, 510 (1992)
203. R. Adler *et al.* [CPLEAR Collaboration],
First determination of CP violation parameters from $K^0 - \bar{K}^0$ decay asymmetry,
Phys. Lett. B **286**, 180 (1992)
40 citations
204. R. Adler *et al.* [CPLEAR Collaboration],
Determination of the relative branching ratios for $p\bar{p} \rightarrow \pi^+\pi^-$ and $p\bar{p} \rightarrow K^+K^-$,
Phys. Lett. B **267**, 154 (1991)
25 citations




Figure 1: Total of 3749 citations for 199 publications for author BEVEREN
hfactor = 33 (*i.e.* at least 33 articles have ≥ 33 citations).

Revista	n° artigos		n° citações	
	I	II	I	II
Acta Physica Polonica Supp.	15	0	47	0
AIP Conference Proceedings	14	3	99	0
Annals of Physics	3	0	89	0
Chinese Physics C	2	0	22	0
Computer Physics Communications	1	0	16	0
The European Physical Journal A	2	0	23	0
The European Physical Journal C	7	1	311	12
The European Physical Journal Web of Conferences	1	0	4	0
European Journal of Physics	1	0	1	0
Europhysics Letters	3	0	63	0
Lecture Notes in Physics	2	0	22	0
Fizika B	1	0	0	0
Int.J. of Theor. Physics, Group Theory and Non-linear Optics	1	0	54	0
Journal of Mathematical Physics	2	0	33	0
Journal of Physics G	1	0	7	0
Journal of Physics Conference Series	1	0	0	0
KEK Conference Proceedings	1	0	0	0
Lecture Notes	1	0	1	0
Modern Physics Letters A	3	0	90	0
Nuclear Instruments and Methods in Physics Research	0	1	0	49
Nova Science Publishers	1	0	0	0
Nuclear Physics A	2	4	60	14
Nuclear Physics Proceedings Supplement	1	5	6	5
Nuovo Cimento A	2	1	24	1
Nederlands Tijdschrift voor Natuurkunde	1	0	0	0
Physics of Atomic Nuclei (Yadernaya Fizika)	0	2	0	0
Ph.D. Thesis	1	0	3	0
Physical Review D	16	0	670	0
Physical Review Letters	4	0	479	0
Physics Letters B	3	13	150	463
Progress in Particle and Nuclear Physics	1	0	4	0
Progress in Theoretical Physics	1	0	5	0
Soviet Journal for Nuclear Physics	0	1	0	3
Zeitschrift für Physik C	4	3	580	32
preprints	22	2	201	1
Conference Proceedings	16	26	105	0
Totais (25 de Abril de 2019)	137	62	3169	580

As revistas e os números de trabalhos nelas publicados, em que o Dr. Van Beveren é autor ou co-autor, e os números totais de citações aos mesmos.

I. Publicações em que é o autor principal ou ao menos um dos autores principais (137 no total com 3169 citações).

II. Publicações da Equipa CP-Lear nas quais é co-autor (62 no total com 580 citações).